

OFFICE FOR LED





OFFICE FOR LED are lighting fixtures for mounting in a suspended ceiling. The models are completed with LED modules and PHILIPS drivers.


Wide range of indoor applications for offices, shops, schools, conference rooms, and more. Suitable for replacement of standard luminaires with fluorescent lamps.

PRODUCT DESCRIPTION:

- LED module efficiency: > 140lm / W
- Luminous flux (Lm) can change in a different range other than the indicated- on request
- High color rendering CRI > 80. For CRI > 90 on request
- Option-Dimmable DALI or 1-10V
- Option-emergency unit
- Protection IP21
- Long life: 50,000 hours
- Body: metal
- Diffuser: polycarbonate opal
- Warranty: 5 years



OFFICE FOR LED **AA0018**



DIMENSIONS:

AA0018 595x595xH80mm
AA0076 295x595xH80mm
AA1066 295x1195xH80mm

CONFIGURATION REF. = A+B+C+D

example: AA0018 40E830-W-TD-EA1

A

REF.	Dimension L/W/H	Power W	Luminous flux Lm	Color temperature K	Efficiency Lm/W	CRI	LED module and driver
AA0018 40E830	595x595x80mm	26.0 W	3040 Lm	3000 K	117 Lm/W	>80	PHILIPS
AA0018 40E840	595x595x80mm	26.0 W	3200 Lm	4000 K	123 Lm/W	>80	PHILIPS
AA0076 22E830	295x595x80mm	15.6 W	1680 Lm	3000 K	108 Lm/W	>80	PHILIPS
AA0076 22E840	295x595x80mm	15.6 W	1720 Lm	4000 K	110 Lm/W	>80	PHILIPS
AA1066 44E830	295x1195x80mm	29.0 W	3340 Lm	3000 K	115 Lm/W	>80	PHILIPS
AA1066 44E840	295x1195x80mm	29.0 W	3519 Lm	4000 K	121 Lm/W	>80	PHILIPS

Operation Lifetime: 50000h

B

COLOR

WHITE	.W
GRAY	.GR
BLACK	.BK
OTHER RAL COLORS	ON REQUEST

C

DIMMABLE

DALI	.TD
1-10V	.D1-10


D

EMERGENCY

1h	.EA1
3h	.EA3



OFFICE FOR LED AA0076

DIMENSIONS: 295x595xH80mm



OFFICE FOR LED AA1066


DIMENSIONS: 295x1195xH80mm



ACCESSORIES FRAMES FOR PLASTERBOARD


AA0445
Installation Frame for AA0018

Cut OUT (mm) 585/585



AA0163
Installation Frame for AA0076

Cut OUT (mm) 285/585



AA3360
Installation Frame for AA1066

Cut OUT (mm) 285/1185

