



**UV-C 2020**  
DISINFECTING DEVICES

## AIR STRIKE MOBILE 90



**A UV-C light device for air disinfection by ultraviolet radiation.**

### **ADVANTAGES:**



- Highly effective – for a short time disinfects the air in large rooms – up to  $90\text{m}^3 \approx 30\text{M}^2$
- You save time, compared to other contactless disinfection technologies
- AIR STRIKE MOBILE 90 does not require supervision during operation
- OZONE FREE - 254nm wavelength, with no ozone emission thanks to the certified PHILIPS UV-C sources
- No harmful emissions and the room can be used continuously
- Easy to maintain
- Use AIR STRIKE MOBILE 90 in every room.





**UV-C 2020**  
DISINFECTING DEVICES

## AIR STRIKE MOBILE 90



### CHARACTERISTICS:

- AIR STRIKE MOBILE 90 is safe for use in the presence of humans and animals.
- Compact size and clean design
- Designed for use in hospital rooms, operating rooms, clinics, laboratories, pharmaceutical and food industries, offices, retail outlets, schools, kindergartens, homes, etc.
- AIR STRIKE MOBILE 90 - low operating price and minimal maintenance.
- For standing installation, connection to a schuko socket



**UV-C 2020**  
DISINFECTING DEVICES

## AIR STRIKE MOBILE 90



Model AIR STRIKE MOBILE 90 UV-C is equipped with PHILIPS TUV UV-C 254nm OZONE FREE sources, made of special glass, which filters the harmful ozone-forming 185nm radiation.

The UV-C light disinfects surfaces and air through ultraviolet radiation, which helps the disinfection by radiation damage to the DNA structures of all microorganisms – viruses, bacteria, yeast, mould. These surfaces must be exposed directly to the light emitted by the UV-C emitters.

Thus it stops the reproduction of microorganisms. For most cases, UV-C radiation with a wavelength of about 260 nm is the most effective. Mercury contained in light sources produces UV-C radiation in the very close effective spectrum of 254 nm, which has become the standard in the production of bactericidal lamps.



Philips TUV PL-L





## TECHNICAL DATA

CAT. №	Dimensions L/B/H	Weight kg	Power W	PL-L UV-C	EVG
AA4430	315 x220 x 940.5mm	13	45	PHILIPS	PHILIPS

- HOUSING: STEEL AND ALUMINUM, POWDER-COATED IN BLACK AND WHITE
- AIR DISINFECTION: 90m<sup>3</sup>/hour
- NOISE LEVEL: 50dB
- BUILT-IN CONTROLLER FOR COUNTING WORKING HOURS AND INDICATION FOR THE STATUS OF THE DEVICE
- SUPPLY VOLTAGE: 220-240V
- PROTECTION: IP20
- CERTIFIED ACCORDING TO STANDARDS:  
**EN 55015:2013+A1:2015**  
**EN 60598-1:15+AC:15+AC:16+A1:18**
- OPTIONAL: REMOTE CONTROL
- POWER CABLE WITH PLUG FOR SCHUKO SOCKET
- DEVICE WARRANTY: 24 MONTHS
- UV-C LIGHT SOURCES WARRANTY: 12 MONTHS

**NOTE: The lifetime of the light sources PHILIPS 254nm is 9000h by catalogue, after the reach them, then the sources must be replaced.**